

according to Regulation (EC) No 1907/2006

### freeprint® denture 385

Revision date: 09.02.2024 Product code: 1115 Page 1 of 14

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

freeprint® denture 385

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.3. Details of the supplier of the safety data sheet

Company name: DETAX GmbH
Street: Carl-Zeiss-Straße 4
Place: D-76275 Ettlingen

Telephone: +49 7243/510-0 Telefax: +49 7243/510-100

E-mail: post@detax.com Internet: www.detax.com

Responsible Department: This number is only obtainable during office hours

(Monday - Thursday 8.00 a.m. - 5.00 p.m., Friday 8.00 a.m. - 4.00 p.m.)

**1.4. Emergency telephone** +1-800-424-9300 (CHEMTREC worldwide)

number:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Skin Sens. 1; H317 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

#### Regulation (EC) No 1272/2008

# Hazard components for labelling

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

2-hydroxyethyl methacrylate

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Hydroxy propyl methacrylate

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Signal word: Warning

Pictograms:





#### **Hazard statements**

H317 May cause an allergic skin reaction.H411 Toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.



according to Regulation (EC) No 1907/2006

# freeprint® denture 385

Revision date: 09.02.2024 Product code: 1115 Page 2 of 14

P501

Dispose of contents/ container in accordance with local and national regulations.

### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) N	o 1272/2008)			
41637-38-1	Ethoxylated bisphenol A dimetha	crylate		40 - < 60 %	
	Aquatic Chronic 4; H413				
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-diox	o-3,14-dioxa-5,12-diazahe	adecane-1,16-diyl bismethacrylate	20 - < 40 %	
	276-957-5		01-2120751202-68		
	Skin Sens. 1B, Aquatic Chronic 2	; H317 H411			
6606-59-3	1,6-hexanediol dimethacrylate			0.1 - < 5 %	
	229-551-7				
	Aquatic Chronic 3; H412	·			
868-77-9	2-hydroxyethyl methacrylate			0.1 - < 5 %	
	212-782-2	607-124-00-X	01-2119490169-29		
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens				
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)p	0.1 - < 5 %			
	278-355-8	015-203-00-X	01-2119972295-29		
	Repr. 2, Skin Sens. 1B, Aquatic 0	Chronic 2; H361 H317 H411			
68909-20-6	silanamine, 1,1,1-trimethyl-N-(trin	0.1 - < 5 %			
	272-697-1				
	STOT RE 2; H373				
27813-02-1	Hydroxy propyl methacrylate	0.1 - < 5 %			
	248-666-3		01-2119490226-37		
	Eye Irrit. 2, Skin Sens. 1; H319 H				
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl	0.1 - < 5 %			
	423-340-5	015-189-00-5	01-2119489401-38		
	Skin Sens. 1A, Aquatic Chronic 4; H317 H413				

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

### freeprint® denture 385

Revision date: 09.02.2024 Product code: 1115 Page 3 of 14

Specific Conc. Limits, M-factors and ATE

opcome oon	C. Ellinics, W-10	actors and ATE	-
CAS No	EC No	Chemical name	Quantity
	Specific Cond	c. Limits, M-factors and ATE	
41637-38-1		Ethoxylated bisphenol A dimethacrylate	40 - < 60 %
	dermal: LD50	0 = 2000 mg/kg; oral: LD50 = 2000 mg/kg	
72869-86-4	276-957-5	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	20 - < 40 %
	dermal: LD50	0 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
868-77-9	212-782-2	2-hydroxyethyl methacrylate	0.1 - < 5 %
	dermal: LD50	0 = >5000 mg/kg; oral: LD50 = 5564 mg/kg	
75980-60-8	278-355-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	0.1 - < 5 %
	dermal: LD50	0 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
27813-02-1	248-666-3	Hydroxy propyl methacrylate	0.1 - < 5 %
	dermal: LD50	0 = >5000 mg/kg; oral: LD50 = >2000 mg/kg	
162881-26-7	423-340-5	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	0.1 - < 5 %
	dermal: LD50	0 = >2000 mg/kg; oral: LD50 = >2000 mg/kg	

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures





according to Regulation (EC) No 1907/2006

### freeprint® denture 385

Revision date: 09.02.2024 Product code: 1115 Page 4 of 14

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### 7.3. Specific end use(s)

For use by trained specialist personnel.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

## freeprint® denture 385

Revision date: 09.02.2024 Product code: 1115 Page 5 of 14

#### **DNEL/DMEL values**

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide			
Worker DNEL,	long-term	inhalation	systemic	0,822 mg/m³
Worker DNEL, long-term		dermal	systemic	0,233 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,145 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,0833 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,0833 mg/kg bw/day

#### 8.2. Exposure controls

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection.

### **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Butyl caoutchouc (butyl rubber)

#### Skin protection

Use of protective clothing.

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: liquid:

Colour:

**Test method** 

Melting point/freezing point:

Boiling point or initial boiling point and

315 °C

boiling range:

Flammability: not applicable not applicable

Lower explosion limits: not determined Upper explosion limits: not determined

Flash point: >100 °C DIN 51755

Auto-ignition temperature: 445 °C

Decomposition temperature: >=190 °C

pH-Value: not determined

Water solubility: The study does not need to be conducted

because the substance is known to be

because the substance is known to be insoluble in water.

Solubility in other solvents not determined

**DETAX GmbH** 



### **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### freeprint® denture 385

Revision date: 09.02.2024 Product code: 1115 Page 6 of 14

Partition coefficient n-octanol/water: not determined Vapour pressure: <1 hPa

(at 20 °C)

Density (at 20 °C): 1,1 g/cm³ DIN 51757

Relative vapour density: not determined

#### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

#### Other safety characteristics

Evaporation rate: not determined Solid content: not determined

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

# freeprint® denture 385

Revision date: 09.02.2024 Product code: 1115 Page 7 of 14

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
41637-38-1	Ethoxylated bisphenol A	dimethacrylat	te			
	oral	LD50 mg/kg	2000	Rat	OECD 423	
	dermal	LD50 mg/kg	2000	Rat	OECD 402	
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4	,13-dioxo-3,1	14-dioxa-5,1	2-diazahexadecane-1,16-	diyl bismethacrylate	
	oral	LD50 mg/kg	>5000	Rat	OECD 401	
	dermal	LD50 mg/kg	>2000	Rat	OECD 402	
868-77-9	2-hydroxyethyl methacryl	ate				
	oral	LD50 mg/kg	5564	Rat		
	dermal	LD50 mg/kg	>5000	Rabbit		
75980-60-8	diphenyl(2,4,6-trimethylbe	enzoyl)phosp	hine oxide			
	oral	LD50 mg/kg	>5000	Rat		
	dermal	LD50 mg/kg	>2000	Rat		
27813-02-1	Hydroxy propyl methacry	late				
	oral	LD50 mg/kg	>2000	Rat	OECD 401	
	dermal	LD50 mg/kg	>5000	Rabbit		
162881-26-7	phenyl bis(2,4,6-trimethyl	benzoyl)-pho	sphine oxid	e		
	oral	LD50 mg/kg	>2000	Rat	OECD 401	
	dermal	LD50 mg/kg	>2000	Rat	OECD 402	

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (7,7,9(or 7,9,9)

-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate; 2-hydroxyethyl methacrylate; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; Hydroxy propyl methacrylate; phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide)

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards





according to Regulation (EC) No 1907/2006

## freeprint® denture 385

Revision date: 09.02.2024 Product code: 1115 Page 8 of 14

#### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

# freeprint® denture 385

Revision date: 09.02.2024 Product code: 1115 Page 9 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
41637-38-1	Ethoxylated bisphenol A	dimethacryla	te				
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oncorhynchus mykiss (Rainbow trout)	OECD 203	
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna (Big water flea)	OECD 202	
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4	,13-dioxo-3,	14-dioxa-5,1	2-diazah	exadecane-1,16-diyl bisn	nethacrylate	
	Acute fish toxicity	LC50 mg/l	10,1	96 h			OECD 203
	Acute algae toxicity	ErC50 mg/l	0,21	72 h			OECD 201
	Acute crustacea toxicity	EC50 mg/l	>1,2	48 h	Daphnia magna (Big water flea)	OECD 202	
868-77-9	2-hydroxyethyl methacryla	ate					
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oryzias latipes		OECD 203
	Acute algae toxicity	ErC50	836 mg/l	72 h	Selenastrum capricornutum		OECD 201
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna		OECD 202
75980-60-8	diphenyl(2,4,6-trimethylbe	enzoyl)phosp	ohine oxide				
	Acute algae toxicity	ErC50 mg/l	>2,01	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	3,53	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(EC50 mg/l)	>1000	3 h	Activated sludge		
27813-02-1	Hydroxy propyl methacryl	ate					
	Acute fish toxicity	LC50	493 mg/l	96 h	Leuciscus idus (golden orfe)		
	Acute algae toxicity	ErC50 mg/l	>97,2	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202	
162881-26-7	phenyl bis(2,4,6-trimethyll	benzoyl)-pho	osphine oxide	Э			
	Acute fish toxicity	LC50 mg/l	>0,09	96 h	Danio rerio (zebrafish)	OECD 203	
	Acute algae toxicity	ErC50 mg/l	>0,26	72 h	Desmodesmus subspicatus	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	>1,175	48 h	Daphnia magna (Big water flea)	OECD 202	
	Crustacea toxicity	NOEC mg/l	>0,008	21 d	Daphnia magna (Big water flea)	OECD 211	
	Acute bacteria toxicity	(EC50 mg/l)	>100	3 h	OECD 209		

### 12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

## freeprint® denture 385

Revision date: 09.02.2024 Product code: 1115 Page 10 of 14

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation	-		•		
41637-38-1	Ethoxylated bisphenol A dimethacrylate					
	OECD 301D/ EEC 92/69/V, C.4-E	24%	28			
	Not readily biodegradable (according to OECD criteria)					
868-77-9	2-hydroxyethyl methacrylate					
		92-100%	14			
	Readily biodegradable (according to OECD criteria).					
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide					
		0-10%	28			
	Not readily biodegradable (according to OECD criteria)					
27813-02-1	Hydroxy propyl methacrylate					
	OECD	94%	28			
	Readily biodegradable (according to OECD criteria).					
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide					
	CO2 formation (% of the theoretical value).	1%	29			
	Not readily biodegradable (according to OECD criteria)					

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	3,39
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1
27813-02-1	Hydroxy propyl methacrylate	0,97
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	5,8

### BCF

CAS No	Chemical name	BCF	Species	Source
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphi ne oxide	47-55	Cyprinus carpio (Common Carp)	
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl) -phosphine oxide	<5	Cyprinus carpio (Common Carp)	OECD 305

#### 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods



according to Regulation (EC) No 1907/2006

#### freeprint® denture 385

Revision date: 09.02.2024 Product code: 1115 Page 11 of 14

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9Classification code:M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 90
Tunnel restriction code:

Marine transport (IMDG)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Contains: 7,7,9(or 7,9,9)

-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismetha

crylate

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9Marine pollutant:YES

Special Provisions: 274, 335, 969

Limited quantity: 5 L

Excepted quantity: E1

EmS: F-A. S-F

#### Other applicable information (marine transport)

Flash point: > 100°C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Contains: 7,7,9(or 7,9,9)

-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismetha

crylate

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9

Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A97 A158 A197

30 kg G

Y964

Excepted quantity:

E1

IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L
IATA-packing instructions - Cargo: 964





according to Regulation (EC) No 1907/2006

freeprint® denture 385

Revision date: 09.02.2024 Product code: 1115 Page 12 of 14

IATA-max. quantity - Cargo: 450 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU

E2 Hazardous to the Aquatic Environment

(SEVESO III):

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**



according to Regulation (EC) No 1907/2006

### freeprint® denture 385

Revision date: 09.02.2024 Product code: 1115 Page 13 of 14

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Skin Irrit: Skin irritation Eye Irrit: Eye irritation Skin Sens: Skin sensitisation Repr: Reproductive toxicity

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Chronic: Chronic aquatic hazard

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

### Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.





according to Regulation (EC) No 1907/2006

# freeprint® denture 385

Revision date: 09.02.2024 Product code: 1115 Page 14 of 14

H413

May cause long lasting harmful effects to aquatic life.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)