ivoclar vivadeni:

Safety Data Sheet according to HPR, Schedule 1

Printing date 05/02/2018

Version number 3.1

Reviewed on 05/02/2018

1 Identification

- · Product identifier
- · Trade name: Callisto CPG

· Application of the substance / the mixture Manufacture of dental prothesis

Details of the supplier of the safety data sheet
Manufacturer/Supplier: Ivoclar Vivadent Inc.
175 Pineview Drive, Amherst, N.Y. 14228 USA Tel. +1 800 533 6825 Fax +1 716 691 2285

Ivoclar Vivadent Inc. 1-6600 Dixie Road Mississauga, Ontario L5T 2Y2 Canada Phone: +1 905 670 8499 Fax: +1 905 670 3102

 Information department: Quality Assurance / Regulatory Affairs
 Emergency telephone number: 24 Hour Emergency Assistance: Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

2 Hazard identification

Oxidizing Solids – Category 2 H272 May intensify fire; oxidizer.	
Respiratory Sensitizer - Category 1 H334 May cause allergy or asthma symptoms or breathing difficulties i inhaled.	f
Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.	
Carcinogenicity – Category 2 H351 Suspected of causing cancer.	_

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: cobalt

• *Hazard statements May intensify fire; oxidizer.*

(Contd. on page 2)

CA

Printing date 05/02/2018

Version number 3.1

Reviewed on 05/02/2018

Trade name: Callisto CPG

(Contd. of page 1)
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
Suspected of causing cancer.
· Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep away from clothing and other combustible materials.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
[In case of inadequate ventilation] wear respiratory protection.
IF ON SKIN: Wash with plenty of water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
<i>If skin irritation or rash occurs: Get medical advice/attention.</i>
If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
Take off contaminated clothing and wash it before reuse.
In case of fire: Use for extinction: CO2, powder or water spray.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Additional information:
Alloys do not require a label, providing they do not present a hazard to human health by inhalation, ingestion
or contact with skin or to the aquatic environment in the form in which they are placed on the market.
Information pertaining to particular dangers for man and environment:
Alloys do not require a label, providing they do not present a hazard to human health by inhalation, ingestion
or contact with skin or to the aquatic environment in the form in which they are placed on the market.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 0
Fire = 0
$\begin{array}{c} 0 \\ 0 \\ Reactivity = 0 \end{array}$
· HMIS-ratings (scale 0 - 4)
HEALTH O $Health = 0$
FIRE 0 $Fire = 0$
REACTIVITY Reactivity = 0

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- · Description: Dental alloy · Dangerous components: CAS: 7440-48-4 cobalt 25-40% w/w CAS: 7440-05-3 palladium 10-<25% w/w CAS: 7440-47-3 chromium 10-<25% w/w 10-13% w/w CAS: 7439-98-7 molybdenum CAS: 7440-33-7 tungsten 1-1.5% w/w

(Contd. on page 3)

CA

Printing date 05/02/2018

Version number 3.1

Reviewed on 05/02/2018

Trade name: Callisto CPG

(Contd. of page 2)

4 First aid measures

- · Description of first aid measures
- After inhalation:
- Grinding dust: Supply fresh air; consult doctor in case of complaints.
- In case of unconsciousness place patient stably in side position for transportation.
- *After skin contact: After contact with the molten product, cool rapidly with cold water.*
- After eye contact:

Grinding dust: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Mechanical effects only.

- · After swallowing: Seek medical treatment.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: The product is not flammable.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Extractors are required on all machines used for thermal processing or splinter removal processes. For use in dentistry only.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 05/02/2018

Version number 3.1

Reviewed on 05/02/2018

Trade name: Callisto CPG

(Contd. of page 3)

8 Exposure controls/ Personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Comrol parameters
Components with limit values that require monitoring at the workplace:
CAS: 7440-48-4 cobalt
<i>EL</i> Long-term value: 0.02 mg/m ³ as Co; ACGIH 2B
<i>EV</i> Long-term value: 0.1 mg/m ³
CAS: 7440-47-3 chromium
<i>EL</i> Long-term value: 0.5 mg/m ³
as metal
EV Long-term value: 0.05 mg/m ³
CAS: 7439-98-7 molybdenum
EL Long-term value: 3* 10** mg/m ³
as Mo; *respirable **inhalable
EV Long-term value: 10* 3** 0.5*** mg/m ³
metal,insol.compd.: *inh; **resp; sol.compd.: ***resp
CAS: 7440-33-7 tungsten
EL Short-term value: 10 mg/m ³
Long-term value: 5 mg/m ³ as W
EV Short-term value: 10* 3** mg/m ³
Long-term value: 5* 1** mg/m ³
(as tungsten; compds.:*water-insol.;**water-sol.
• Additional information: The lists that were valid during the creation were used as basis.
· Exposure controls
· Personal protective equipment:
• General protective and hygienic measures:
Usual hygienic measures for dental practice and dental laboratories.
Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.
Protection of hands:
Protective gloves should always be worn during mechanical and thermal processing.
After use of gloves apply skin-cleaning agents and skin cosmetics. • Material of gloves
Mechanical processing:
Leather gloves
Strong gloves
Thermal processing:
Heat protection gloves
· Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be
observed.
Eye protection:
Always wear safety goggles during mechanical processing (grinding, sawing /cutting, drilling, milling).
CA- (Contd. on page 5)

Printing date 05/02/2018

Version number 3.1

Reviewed on 05/02/2018

Trade name: Callisto CPG

(Contd. of page 4)

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Solid	
Color:	White	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	1185 - 1275 °C	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Contact with combustible material may cause fire.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C:	$9.3 \ g/cm^3$	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Solids content:	100.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

(Contd. on page 6)

Printing date 05/02/2018

Version number 3.1

Reviewed on 05/02/2018

Trade name: Callisto CPG

(Contd. of page 5)

• Information of • Acute toxicity:	n toxicological effects	
2	es that are relevant for classification:	
CAS: 7440-48-		
Oral LD50 61		
on the skin: No on the eye: No Sensitization: Sensitization po Sensitization po Additional tox	o irritant effect. irritating effect. ossible through inhalation. ossible through skin contact. icological information: ows the following dangers according to internally approved calculation methods for	
Ũ	tional Agency for Research on Cancer)	
CAS: 7440-48-	4 cobalt	21
CAS: 7440-47-	3 chromium	3
NTP (National	l Toxicology Program)	
	redients is listed.	
<i>v</i> C		
Ecological i	nformation	

- · Behavior in environmental systems:
- *Bioaccumulative potential* No further relevant information available.
- \cdot **Mobility in soil** No further relevant information available.
- Additional ecological information:
- General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

(Contd. on page 7)

[•] Uncleaned packagings:

[•] *Recommendation: Disposal must be made according to official regulations.*

Printing date 05/02/2018

Version number 3.1

Reviewed on 05/02/2018

(Contd. of page 6)

Trade name: Callisto CPG

Transport information	
UN-Number DOT, TDG, ADN, IMDG, IATA	Void
UN proper shipping name DOT, TDG, ADN, IMDG, IATA	Void
Transport hazard class(es)	
DOT, TDG, ADN, IMDG, IATA Class	Void
Packing group DOT, TDG, IMDG, IATA	Void
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex A MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
UN ''Model Regulation'':	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 7440-48-4 cobalt

CAS: 7440-47-3 chromium

CAS: 7429-90-5 aluminium powder (pyrophoric)

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling:

cobalt

· Hazard statements

May intensify fire; oxidizer. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

(Contd. on page 8)

CA

Printing date 05/02/2018

-

Version number 3.1

Reviewed on 05/02/2018

Trade name: Callisto CPG

	(Contd. of page 7)
May cause an allergic skin reaction.	
Suspected of causing cancer.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.	No smoking.
Keep away from clothing and other combustible materials.	
Avoid breathing dust/fume/gas/mist/vapours/spray.	
Contaminated work clothing should not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
IF ON SKIN: Wash with plenty of water.	
<i>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</i>	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
If skin irritation or rash occurs: Get medical advice/attention.	
If experiencing respiratory symptoms: Call a POISON CENTER/doctor.	
Take off contaminated clothing and wash it before reuse.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/internation	nal regulations.
National regulations:	
Other regulations, limitations and prohibitive regulations	
<i>The product is a medical device according to the Directive 93/42/EEC.</i>	
This product is classified as a medical device under US and Canadian regulations a	nd has been reviewed by
the US Food and Drug Administration and Health Canada.	
Chemical safety assessment: A Chemical Safety Assessment has not been carried or	ıt.
Other information	
This information is based on our present knowledge. However, this shall not constitu	ute a guarantee for any

specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision 05/02/2018 / 3
Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative * Data compared to the previous version altered.

CA