





PENN COMPOSITE STENT

	Dentist _		Invoice Name
	Invoice A	Address	Suburb Postcode
	Tel		Email
)	
DAT.		o - Please do not use patient's name unless consent is prov	
DAI	CIT# (Office offiy)		осе, але орргориясь гот при осел сотрессо.
	1		
	New Case Continuation/Remake	Account Number	Work Required by Day Month
	Wax-up ONLY O Wax-	up + Penn Stent	TURNAROUND TIME: 10 IN-LAB DAYS
	(default)		(confirmed on receipt of order)
SEL	ECT PREFERRED SMILE TYPE		Teeth to wax-up
\circ_{i}	Aggressive	Ominant	
			Existing tooth shade ————————————————————————————————————
			Shade intended
\circ	Enhanced	Focused	Stage litterided
	N Y Y Y		Please allow wax-up thickness of up to
			1.5mm for composite injection.
			Please indicate your requirements:
$^{\circ}$ $_{I}$	Functional	Hollywood	Trim back model by mm
			(If you plan to build the teeth out buccally less than 1.5mm,
		A A V AV P	please specify how much)
			○ No adjustment to the model
\circ	Mature	○ Natural	(if require the teeth to be more buccally placed than pre-op position)
			occessify proceed that it pice op positionly
	3 3 2 6	10000000000000000000000000000000000000	
			MATERIAL ENCLOSED
$^{\circ}$ I	Oval	Softened	Please tick ⊘
			DR SCD
	1. 数 数 从 产 产 1.		Upper Impression
			Lower Impression O
_ !	Vigorous	Youthful	Upper Model O Lower Model O
$^{\cup}$ $_{I}$	vigorous	Youthlui	Bite Registration
	MARAL		Images to be emailed

ADDITIONAL INSTRUCTIONS